

Dividend payment with ruin constraint in the Lundberg model

Christian Hipp
Bergisch Gladbach, Germany

Abstract

We try to maximize the accumulated expected present value of dividends under the constraint that the with dividend risk process has a ruin probability not exceeding a small number. This problem is considered in the de Finetti model and in the Lundberg model. From the solution in the de Finetti model given in Hipp (2003) we learn that one can use a modified dynamic equation in two state variables: the current surplus and the running ruin probability. The dynamics of the second variable constitutes a martingale which – in the Lundberg model with constant barriers between claims – is a function of present surplus and number of claims. For this we first maximize dividend payments up to the first claim, and derive an iteration scheme from this initial solution. The resulting value function for exponential claims dominates the solution with the heuristic improvement procedure presented in Hipp (2016); it is close to the value function in the unconstrained case: ruin constraints are cheap!

1 Introduction

Starting with de Finetti's famous article [5], many papers have been written on dividend maximization for insurers in which the stock holder's interest is seen as the only objective; the interests of policyholders are neglected. The corresponding optimal dividend strategies lead – in most actuarial models – to certain ruin for the with dividend process. Here, we consider dividend maximization under the constraint that the probability of the with dividend risk process is limited by some small number. Similar problems have been considered by Albrecher and Thonhauser [1], and Hernandez and Junca [10]. For dividend strategies without certain ruin see [4] and [7].

We shall first reconsider the de Finetti model in which time and space are discrete, for which earlier results can be found in [8] and [9] in which a modified Hamilton-Jacobi-Bellman equation is derived and used for numerical calculations. This modified HJB equation involves running ruin probabilities which form a martingale. In this note we study these martingales in the Lundberg model and arrive at a characterization of the optimal strategy of the problem which leads to an efficient numerical procedure.

This is work in progress; many problems, e. g., solutions for other diffusion processes, are still open.

2 The de Finetti model

Let X_1, X_2, \dots be independent identically distributed random variables with

$$\mathbb{P}\{X_i = 1\} = 1 - \mathbb{P}\{X_i = -1\} = p > 1/2,$$

and for an integer s define

$$S(t) = s + X_1 + \dots + X_t, t = 0, 1, 2, \dots \quad (1)$$

In this most simple model Bruno de Finetti has investigated the problem of optimal dividend payment in his fundamental 1957 paper (see [5]). We shall thus call the model the *de Finetti model*. The random variables $S(t)$ can be seen as the time t surplus of a company with initial surplus s , losing 1 or earning 1 in each period. It might be an insurer who insures claims of size 2 which occur with probability $q = 1 - p$ for a premium 1. Our assumption $p > 1/2$ implies that $S(t) \rightarrow \infty$ for $t \rightarrow \infty$; otherwise, ruin would be certain. The ruin probability for initial surplus $s \geq 0$ is

$$\psi(s) = \mathbb{P}\{S(t) < 0 \text{ for some } t \geq 0 | S(0) = s\} = (q/p)^{s+1}, s \geq -1.$$

It is a solution of the linear difference equation

$$f(s) = pf(s+1) + (1-p)f(s-1), s \geq 0, \quad (2)$$

which is considered for functions $f(s)$, $s \geq -1$. Equation (2) is linear, its solution space is spanned by the two functions 1 and $\psi(s)$, and a solution can be identified by its values at two points.

2.1 Dividend problem

We allow for dividend payment in the de Finetti model, i.e. for non-decreasing $D(t)$, $t \geq 0$, with $D(t)$ – depending on X_1, \dots, X_t – being the sum of dividends $d(n)$, $n = 0, \dots, t$, paid until time t , we consider

$$S^D(t) = S(t) - D(t), t \geq 0.$$

For a discount rate $0 < r < 1$ we define the expected present value of dividends

$$v^D(s) = E \left[\sum_{n=0}^{\tau^D-1} r^n d(n) | S(0) = s \right],$$

where $\tau^D = \min\{t : S(t)^D < 0\}$ is the ruin time for S^D . The maximal possible present value

$$v(s) = \sup v^D(s), s \geq 0, \quad (3)$$

is often coined the *value of the company*. The supremum is taken over all dividend functions D with $D(t)$ non-decreasing and depending on X_1, \dots, X_t . We may restrict the maximization over all dividend functions with $d(t)$ an integer for all $t \geq 0$, see [11], p. 11, Lemma 1.9.

The dynamic equation for the dividend problem reads

$$v(s) = \max\{r(pv(s+1) + (1-p)v(s-1)), 1 + v(s-1)\}, s \geq 1. \quad (4)$$

The second term in the brackets stands for a dividend of size 1 paid immediately, and the first for future dividend payments. For initial surplus $s = 0$ immediate dividend payment is forbidden, and for this case the dynamic equation is $v(0) = rpv(1)$.

The dynamic equation in (4)

$$v(s) = r(pv(s+1) + (1-p)v(s-1)) \quad (5)$$

is linear, its solution space has dimension 2, and its solutions can be identified by their values at one point $s > -1$.

The optimal dividend strategy for the problem is a barrier strategy, i.e. for some integer $M \geq 0$ we pay dividends as soon as we are above M . For a proof and a method for computation see [11], p. 16, Example 1.13. The value function will be denoted by $V_0(s)$. If $v(s)$ is the solution of the dynamic equation (5) with $v(-1) = 0$ and $v(0) = 1$, then the barrier M equals

$$M = \arg \min\{v(s+1) - v(s) : s \geq 0\},$$

and with

$$W_0(s) = \frac{v(s)}{v(M+1) - v(M)}, s \geq 0$$

we have

$$V_0(s) = W_0(s), s \leq M, V_0(s) = V_0(M) + s - M, s > M.$$

2.2 Dividend payment with ruin constraint

When we maximize dividend payment, we generally generate certain ruin, and on the other hand maximizing survival probability leads to no dividend payment. One might instead try to maximize dividend payment under a ruin constraint: maximize

$$v^D(s) = E \left[\sum_{n=0}^{\tau^D - 1} r^n d_n | S(0) = s \right]$$

under the constraint $\mathbb{P}\{\tau^D < \infty | S(0) = s\} \leq \alpha$. To simplify the notation we shall assume that all dividend strategies $D(t) = d(1) + \dots + d(t)$ satisfy

$d(t) = 0$ whenever $t \geq \tau^D$. For the constraint we need that the no dividend ruin probability $\psi(s)$ satisfies $\psi(s) \leq \alpha$. In line with this we define

$$v(s, \alpha) = \sup_D v^D(s) = 0$$

whenever $\alpha \leq \psi(s)$. The dynamic equation for this problem reads

$$v(s, \alpha) = \max\{1 + v(s - 1, \alpha), r[pv(s + 1, \beta_1) + (1 - p)v(s - 1, \beta_2)]\}, \quad (6)$$

where the maximum is taken over all $0 \leq \beta_1 \leq \psi(s + 1), 0 \leq \beta_2 \leq \psi(s - 1)$ satisfying

$$p\beta_1 + (1 - p)\beta_2 = \alpha. \quad (7)$$

Here the maximum with $1 + v(s - 1, \alpha)$ is omitted whenever $\psi(s - 1) > \alpha$. The maximum over the empty set is equal to zero. The maximizers β_1, β_2 define the process $b^D(t)$ of running ruin probabilities for the with dividend process $S^D(t)$ which is an $S^D(t)$ -martingale. At state α this process goes down to β_1 if $S^D(t)$ goes up, and it goes up to β_2 if $S^D(t)$ goes down. When dividends are paid, then the value α remains unchanged. The condition (7) implies that $b^D(t)$ is an $S^D(t)$ -martingale.

From equation (6) we obtain an iteration procedure which converges monotonically to the value function of the problem:

$$V_{n+1}(s, \alpha) = \max\{1 + V_{n+1}(s - 1, \alpha), r[pV_n(s + 1, \beta_1) + (1 - p)V_n(s - 1, \beta_2)]\},$$

with initial function $V_1(s, \alpha) = 0$ or, more sophisticated,

$$V_1(s, \alpha) = V_0(s - s(\alpha)),$$

where $V_0(x)$ is the time value of dividends without ruin constraint, and $s(\alpha) = \min\{x : \psi(x) \leq \alpha\}$. This method, however, is not efficient, in each step we have to compute an array $V(s, \alpha), s \geq 0, \psi(s) \leq \alpha \leq 1$, for a fine grid of α 's.

Numerical results for the example $p = 0.7$ and $r = 1/1.03$ can be found in [8], section 3, p. 263-264; and in [9].

3 Lundberg model

Here we consider the classical model for non-life insurance claims, the Lundberg model, in which

$$S(t) = s + ct - \sum_{i=1}^{N(t)} Y_i, t \geq 0, \quad (8)$$

where s is the initial surplus, c the constant premium per time unit, $N(t), t \geq 0$, a homogenous Poisson process with intensity λ , and independent claims Y, Y_1, Y_2, \dots which are independent from the claims process $N(t)$. In this model, the ruin probability $\psi(s)$ for initial surplus s satisfies the dynamic equation

$$0 = \lambda E[v(s - Y) - v(s)] + cv'(s), s \geq 0. \quad (9)$$

For exponential claims with density $1/\mu \exp(-x/\mu), x \geq 0$, the function $g(s) = E[v(s - Y)]$ satisfies $g'(s) = (v(s) - g(s))/\mu$, so (9) leads to the second order linear differential equation with constant coefficients, and $\psi(s) = \lambda\mu/c \exp(-Rs)$, where $R = (c - \lambda\mu)/(c\mu)$. Notice that for all solutions $v(s)$ of (9) satisfying $v(s) = 1$ for $s < 0$ we have $\lambda(1 - v(0)) = cv'(0)$, so the subspace of these functions has dimension 1. Similar linear differential equations for $g(s)$ are valid for claims having phase-type distributions.

3.1 Dividend problem

For optimal dividend payment without ruin constraint, we obtain the dynamic equation in the no action region

$$0 = -\delta v(s) + \lambda E[v(s - X) - v(s)] + cv'(s), s \geq 0. \quad (10)$$

The value function for the optimal dividend problem now is derived with the solution $v(s)$ of (10) satisfying $v(0) = 1$ and $v'(0) = 1$ and with barrier $M = \arg \min v'(s)$:

$$W_0(s) = v(s)/v'(M), s \geq 0,$$

and $V_0(s)$ with slope 1 for $s \geq M$.

3.2 Dividend payment with ruin constraint

We consider dividend payments $D(t)$ accumulated up to time t , with no payments at or after ruin. The problem to maximize the present value of future dividends under a ruin constraint has value function

$$V(s, \alpha) = \sup_D v^D(s),$$

where τ^D is the ruin time of the with dividend process,

$$v^D(s) = E \left[\int_0^{\tau^D} \exp(-\delta t) dD(t) | S(0) = s \right],$$

and the supremum is taken over all dividend payments satisfying

$$\mathbb{P}\{\tau^D < \infty | S(0) = s\} \leq \alpha.$$

Also here, we will consider a process $b(t)$ of running ruin probabilities which is a martingale with mean α . But before we study these processes in detail, we mention a heuristically defined iteration scheme which leads to good sub-solutions of our problem.

3.3 Heuristic iteration scheme

The following iteration scheme for the computation of good suboptimal value functions is given in [9]. Assume we have a suboptimal dividend function $V_n(s, \alpha)$. For $U \geq s$ and $\alpha > \psi(s)$ define $a(U)$ as the solution to

$$\alpha = \frac{\psi(s) - \psi(U)}{1 - \psi(U)} + a(U) \frac{1 - \psi(s)}{1 - \psi(U)}. \quad (11)$$

Then a better suboptimal value function $V_{n+1}(s, \alpha)$ is given by

$$V_{n+1}(s, \alpha) = \max\{\max_{U \geq s} v(s)V_n(U, a(U))/v(U), V_{n+1}(s-1, \alpha) + 1\}, \quad (12)$$

where the outer maximum is taken only if $\psi(s-1) \leq \alpha$. The strategy behind this heuristic iteration is: start at s and wait without paying dividends until you reach U . When you reach U , then use an optimal dividend strategy starting at U and allowed ruin probability $a(U)$. The ruin probability for this strategy is the probability to be ruined before reaching U , plus the probability for reaching U before ruin, multiplied by $a(U)$. The dividend value of the strategy is the dividend value $V(U, a(U))$, discounted over the time τ until U is reached. The equation (12) results from the fact that $(\psi(s) - \psi(U))/(1 - \psi(U))$ is the probability for ruin before reaching U , and

$$E[\exp(-\delta\tau)] = v(s)/v(U),$$

where $v(s)$ is the solution to (10) with $v(0) = v'(0) = 1$.


A possible initial function is $V_1(s, \alpha) = 0$, a more sophisticated starting point is

$$V_1(s, \alpha) = V_0(s - s(\alpha)), \quad (13)$$

where $E[\psi(s - s(\alpha))] = \alpha$. This iteration scheme does, however, not seem to converge to the value function, and actually the numerics is quite inefficient. Again, in each step we have to compute an array $V(s, \alpha), s \geq 0, \psi(s) \leq \alpha \leq 1$, for a fine grid of α 's.

The following figure shows the heuristic improvement procedure for exponential claims with mean 1, for $\lambda = 1, c = 2$ and $\delta = 0.03$. The initial function (smallest values) is the one given in (13). The improvements $V_n(s, 0.2)$ seem to converge, but the computation time for each step is too long for more than 200 iterations. Furthermore, a large number of iterations involves so many operations, that the results are no longer reliable.

We see that a first guess for the true value $V(2, 0.2)$ would be approximately 17.



3.4 A promising classical approach

For fixed s and α we consider the dividend maximization problem in which we stop paying dividends after the n -th claim. This certainly leads to a sequence of value functions (for easier problems!) which converge to the value function of the given problem. We will first show that the optimal solution to these partial problems is easy: They can be solved using a sequence of barriers which are not state-dependent; we show in a numerical example that they give better results than the above heuristic iteration. We first consider the case of dividend payment until the first claim, and then show in the case $n = 2$ that the optimal solution has constant barriers between claims.

3.5 Dividend payment until the first claim

This problem is solved as follows: let $B_0(x) = E[\psi(x - Y)]$; if $B_0(s) < \alpha$, then we can find $M_1 < s$ satisfying $B_0(M_1) = \alpha$, and we pay a lump sum $s - M_1$ immediately, and after that we pay out all incoming premia. If $B_0(s) \geq \alpha$ or $s < M_1$, then we wait until we reach M_1 , and then we again pay out all premia. The present value of dividends for this strategy for $s \leq M_1$ is

$$E \left[\int_{(M_1 - s)/c}^{\infty} \lambda \exp(-(\lambda + \delta)u) c du \right] = \frac{\lambda c \exp(-(\lambda + \delta)(M_1 - s)/c)}{\lambda + \delta}. \quad (14)$$

The running ruin probabilities $b^D(t)$ for this optimal strategy are also easily computed: Since after the first claim no dividends are paid, $b^D(t) = B(S^D(t))$ will be given by the dynamic equation (martingale property)

$$0 = \lambda E[\psi(x - Y) - B(x)] + cB'(x),$$

with initial condition $B(s) = \alpha$ which has a solution of the form

$$B(x) = -\frac{\lambda}{c} \int_0^x E[\psi(u - Y)] \exp(-\lambda u/c) du \exp(-\lambda x/c) + C \exp(\lambda x/c), \quad (15)$$

where C is chosen such that the initial condition holds. Since $B(x)$ should be decreasing (and of course bounded by 1), we obtain that $S^D(t)$ should have an upper bound which defines the optimal barrier M_1 which is given by the smallest solution of

$$B(x) = E[\psi(x - Y)].$$

This simple structure looks promising; its properties can be used generally (for all n).

3.6 Dividend payment after the n -th claim

The optimal dividend value up to the $n + 1$ -th claim is obtained using the results for $n = 1$, in particular the above optimal strategy and formulas (15) and (14). Assume that claim n happens at time T and the position after this claim equals Z . Then we should maximize the dividends paid after time T and stop paying dividends at the next claim. The ruin probability after the n -th claim is some known number $\alpha_n = \alpha - \mathbb{P}\{S > 0\}$. Let M_n be the solution of $E[\psi(M - Y)] = \alpha_n$. If $S \geq M_n$, then we pay a lump sum $S - M_n$ immediately, and if $S < M_n$, then we wait without paying dividends until we reach M_n where we start paying out all incoming premia as dividends, until the next claim where we stop. This means, we use a constant barrier M_n .

Hence the solution to the maximization of dividend value until the $n + 1$ th claim has constant barriers between claims. For $n = 2$ this follows from the fact that until the first claim we have a constant barrier, and after the first claim it is again constant. For larger n we can use induction.

Clearly, the the value functions of the subproblems *Dividends until the n -th claim* will converge to the value function of the given problem.

It is surprising that the optimal strategies are all barrier strategies, while in the case of unconstraint optimal dividend payment band strategies show up (see [6] and [3]).

3.7 Calculations with constant barriers

For our numerical calculations we may restrict to barriers which are constant. This will lead to optimal solutions of the subproblem *dividends up to the n -th claim* when the barriers M_1, \dots, M_n are chosen properly, and in any case we get subsolutions, and the results are surprisingly good and better than those of the heuristic improvement procedure. The computation with constant barriers is much faster than heuristic improvement.

For given barriers $M_1 \geq \dots \geq M_n$ we sequentially compute the running ruin probabilities $B_i(x)$ and the dividend values $V_i(x)$ with the dynamic equations

$$\begin{aligned} 0 &= \lambda E[B_{i-1}(x - Y) - B_i(x)] + cB_i'(x), \\ 0 &= -\delta V_i(x) + \lambda E[V_{i-1}(x - Y) - V_i(x)] + cV_i'(x), \end{aligned}$$

with the boundary values $B_i'(x) = 0$ for $x \geq M_i$, and $V_i'(x) = 1$ for $x \geq M_i$. Here, M_n is the barrier until the first claim, M_{n-1} is the barrier for the time between the first and the second claim, and so on. $B_1(x)$ is the running ruin probability before the n -th claim, so

$$0 = \lambda E[\psi(x - Y) - B_1(x)] + cB_1'(x),$$

and $B_2(x)$ is the running ruin probability between claim number $n - 1$ and n . $V_1(x)$ is the present time T_{n-1} value of dividend payments over the last period, where T_i is the time for claim i . $V_1(x)$ can be obtained with formula (14), where the barrier is M_1 .

For exponentially distributed claims with mean μ , the functions

$$G_i(x) = E[B_i(x - Y)] \text{ and } H_i(x) = E[V_i(x - Y)]$$

are computed with the useful differential equations

$$\begin{aligned} G_i'(x) &= (B_i(x) - G_i(x))/\mu, \\ H_i'(x) &= (V_i(x) - H_i(x))/\mu, \end{aligned}$$

together with the boundary values

$$G_i(0) = 1, H_i(0) = 0.$$

3.8 Numerical results

Our numerical work is done for exponential claims with mean $\mu = 1$, with $\lambda = 1, \delta = 0.03$ and $c = 2$. The first test shows that the number n of claims considered should be large, but not too large. You see the computed values for various n and for barriers $M_i, i = 1, \dots, n$ which are all equal to M . The computations are done for $s = 2$ and $\alpha = 0.2$, which is a region in which the true value function of the problem is very steep (we have $\psi(2) = 0.1839$ and hence $V(2, 0.1839) = 0$ while $V(2, 0.2)$ is seen to be approximately 17 or larger in our figure above.

In the table below you see the suboptimal values for $V(2, 0.2)$ with barriers $M_i = M$ which are all equal, and for various n . You can see that for a high value of dividends, n should be large, but not too large.

n	$V_n(s, \alpha)$	M
15	4.9432	11.880
30	10.0279	13.255
60	15.5051	14.640
100	17.9717	15.670
150	18.5714	16.470
160	18.5795	16.600
170	18.5732	16.720

Better results are possible when we take M_i which vary with i :

- $M_1 = 17, M_{i+1} = M_i - \varepsilon, \varepsilon = 0.0067 : V(2, 0.2) = 18.6696.$
- $M_1 = 19, M_{i+1} = M_i - \varepsilon, \varepsilon = 0.0287 : V(2, 0.2) = 18.8614.$
- $M_1 = 20, M_{i+1} = M_i/\varepsilon, \varepsilon = 1.00218 : V(2, 0.2) = 18.888.$
- without ruin constraint: $V_0(2) = 19.7939.$
- ruin constraints are cheap, they lead to small reductions of the company value.

4 Conclusions

Above we wrote that this note is work in progress, many problems are still open, e. g. the solution for diffusion models for which heuristic improvements can be defined and calculated (see [9]). Others are:

- fast iteration schemes for other than exponential claims (phase-type);
- efficient methods for the calculation of optimal barriers;

References

- [1] Albrecher H, Thonhauser S (2007). Dividend maximization under consideration of the time value of ruin. *Ins Math Eco* 41, 163-184.
- [2] Albrecher H, Asmussen S (2010) *Ruin probabilities* 2nd Ed World Scientific, Singapore.
- [3] Berdel J (2014) Optimale Bandstrategien für Dividendenzahlungen im Cramer-Lundberg Modell. PhD Thesis, KIT, Karlsruhe.
- [4] Dickson DCM, Waters HR (2004) Some optimal dividend problems. *ASTIN Bull* 34, 49-74.
- [5] de Finetti B (1957) Su un' impostazione alternativa della teoria collettiva del rischio. *Trans XV Int Congr Act* 2 433-443.

- [6] Gerber HU (1969) Entscheidungskriterien für den zusammengesetzten Poisson-Prozess. Schweiz Verein VersMath Mitt 69, 185-228.
- [7] Gerber HU, Shiu ESW, Smith, N (2006) Maximizing dividends without ruin. ASTIN Bull 36, 5-23.
- [8] Hipp C (2003) Optimal dividend payment under a ruin constraint: discrete time and state space. Blätter der DGVM 26 255-264.
- [9] Hipp C (2016) Dividend payment with ruin constraint. Festschrift Ragnar Norberg, World Scientific.
- [10] Hernandez C, Junca M (2015) Optimal dividend payments under a time of ruin constraint: Exponential claims. Preprint Universidad de los Andes.
- [11] Schmidli H (2007) *Stochastic Control in Insurance*. Springer, Heidelberg.
- [12] Schmidli H (1999) On the distribution of the surplus prior and at ruin. ASTIN Bull 29 227-244.