

IAIS Consultations

Print view of your comments on "ComFrame in ICPs 9, 10, 25" - Date: 29.10.2018, Time: 17:05

Organisation	International Actuarial Association
Jurisdiction	International
Role	Other (not IAIS Member)
Email	amali.seneviratne@actuaries.org
Phone	+1-613-236-0886 (Ext:116)
Treat my comments as confidential	No

	Question
	Q1 General Comment on ComFrame in ICP 9
Answer	<input type="text"/>
	Q2 Comment on ComFrame Standard CF9.0.a
Answer	<input type="text"/>
	Q3 Comment on ComFrame Guidance CF9.0.a.1
Answer	<input type="text"/>
	Q4 Comment on ComFrame Standard CF9.2.a
Answer	<input type="text"/>
	Q5 Comment on ComFrame Guidance CF9.2.a.1
Answer	<input type="text"/>
	Q6 Comment on ComFrame Guidance CF9.2.a.2
Answer	<input type="text"/>
	Q7 Comment on ComFrame Guidance CF9.2.a.3
Answer	<input type="text"/>
	Q8 Comment on ComFrame Guidance CF9.2.a.4
Answer	<input type="text"/>
	Q9 Comment on ComFrame Guidance CF9.2.a.5
Answer	<input type="text"/>
	Q10 Comment on ComFrame Guidance CF9.2.a.6
Answer	<input type="text"/>

Q11 Comment on ComFrame Guidance CF9.2.a.7

Answer

Q12 Comment on ComFrame Standard CF9.2.b

Answer

Q13 Comment on ComFrame Guidance CF9.2.b.1

Answer

The fifth bullet should be re-stated as follows to refer to “the ability of insurance legal entities within the IAIG to meet policyholder obligations individually as well as collectively within the IAIG due to ripple effects that may impact the entire IAIG. This ability should be considered in the near as well as long term in the context of the risks arising from the macro environment in which the IAIG operates.”.

Q14 Comment on ComFrame Guidance CF9.2.b.2

Answer

Q15 Comment on ComFrame Guidance CF9.2.b.3

Answer

Q16 Comment on ComFrame Guidance CF9.2.b.4

Answer

Q17 Comment on ComFrame Guidance CF9.2.b.5

Answer

Q18 Comment on ComFrame Guidance CF9.2.b.6

Answer

Q19 Comment on ComFrame Guidance CF9.2.b.7

Answer

The group-wide stress tests referred to in this paragraph may properly include those developed by the IAIG as well as those prepared at the request of the group-wide supervisor. It may benefit supervisors to distinguish between these two types of stress tests.

Q20 Comment on ComFrame Guidance CF9.2.b.8

Answer

Q21 Comment on ComFrame Standard CF9.4.a

Answer

Q22 Comment on ComFrame Guidance CF9.4.a.1

Answer

Q23 Comment on ComFrame Standard CF9.6.a

Answer

Q24 Comment on ComFrame Guidance CF9.6.a.1

Answer

Q25 Comment on ComFrame Guidance CF9.6.a.2

Answer

Q26 Comment on ComFrame Guidance CF9.6.a.3

Answer

Q27 Comment on ComFrame Standard CF9.6.b

Answer

Q28 Comment on ComFrame Guidance CF9.6.b.1

Answer

Q29 Comment on ComFrame Standard CF9.7.a

Answer

Q30 General Comment on ComFrame in ICP 10

Answer

Q31 Comment on ComFrame Standard CF10.0.a

Answer

Q32 Comment on ComFrame Guidance CF10.0.a.1

Answer

Q33 Comment on ComFrame Guidance CF10.0.a.2

Answer

Q34 Comment on ComFrame Guidance CF10.0.a.3

Answer

Q35 Comment on ComFrame Standard CF10.0.b

Answer

Q36 Comment on ComFrame Guidance CF10.0.b.1

Answer

Q37 Comment on ComFrame Guidance CF10.0.b.2

Answer

Q38 Comment on ComFrame Guidance CF10.0.b.3

Answer

Q39 Comment on ComFrame Guidance CF10.0.b.4

Answer	<input type="text"/>
	Q40 Comment on ComFrame Guidance CF10.0.b.5
Answer	<input type="text"/>
	Q41 Comment on ComFrame Guidance CF10.0.b.6
Answer	<input type="text"/>
	Q42 Comment on ComFrame Standard CF10.2.a
Answer	<input type="text"/>
	Q43 Comment on ComFrame Guidance CF10.2.a.1
Answer	<input type="text"/>
	Q44 Comment on ComFrame Guidance CF10.2.a.2
Answer	<input type="text"/>
	Q45 Comment on ComFrame Guidance CF10.2.a.3
Answer	<input type="text"/>
	Q46 Comment on ComFrame Standard CF10.5.a
Answer	<input type="text"/>
	Q47 Comment on ComFrame Standard CF10.5.b
Answer	<input type="text"/>
	Q48 Comment on ComFrame Standard CF10.6.a
Answer	<input type="text"/>
	Q49 Comment on ComFrame Guidance CF10.6.a.1
Answer	<input type="text"/>
	Q50 Comment on ComFrame Guidance CF10.6.a.2
Answer	<input type="text"/>
	Q51 Comment on ComFrame Guidance CF10.6.a.3
Answer	<input type="text"/>
	Q52 Comment on ComFrame Standard CF10.6.b
Answer	<input type="text"/>
	Q53 Comment on ComFrame Guidance CF10.6.b.1
Answer	<input type="text"/>
	Q54 General Comment on ComFrame in ICP 25

Answer

Q55 Comment on ComFrame Guidance CF25.0.a.1

Answer

Q56 Comment on ComFrame Standard CF25.6.a

Answer

Q57 Comment on ComFrame Guidance CF25.6.a.1

Answer

Q58 Comment on ComFrame Guidance CF25.6.a.2

Answer

Q59 Comment on ComFrame Guidance CF25.6.a.3

Answer

Q60 Comment on ComFrame Guidance CF25.6.a.4

Answer

Q61 Comment on ComFrame Guidance CF25.6.a.5

Answer

Q62 Comment on ComFrame Standard CF25.6.b

Answer

Q63 Comment on ComFrame Standard CF25.6.c

Answer

Q64 Comment on ComFrame Guidance CF25.6.c.1

Answer

Q65 Comment on ComFrame Guidance CF25.6.c.2

Answer

Q66 Comment on ComFrame Standard CF25.7.a

Answer

Q67 Comment on ComFrame Guidance CF25.7.a.1

Answer

Q68 Comment on ComFrame Guidance CF25.7.a.2

Answer

Q69 Comment on ComFrame Guidance CF25.7.a.3

Answer

Q70 Comment on ComFrame Guidance CF25.7.a.4

Answer

Q71 Comment on ComFrame Standard CF25.7.b

Answer

Q72 Comment on ComFrame Guidance CF25.7.b.1

Answer

Q73 Comment on ComFrame Guidance CF25.7.b.2

Answer